



KMK metric lock nuts with an integral locking device



Part Number	Thread Size	Pitch size G	Outer Diameter D	Width W	d1	Slot width S	Slot depth h	Static Axial load carrying capacity kN	Weight	Hook Spanner	Grub screw gs	Grub Screw Tightening Torque Nm
KMK 0	10	M10x0.75	20	9	16	3	2	9.8	0.016	HN0	M5	4
KMK 1	12	M12x1	22	9	18	3	2	11.8	0.018	HN1	M5	4
KMK 2	15	M15x1	25	9	21	4	2	14.6	0.021	HN2	M5	4
KMK 3	17	M17x1	28	9	24	4	2	19.6	0.027	HN2-3	M5	4
KMK 4	20	M20x1	32	9	28	4	2	24	0.03	HN4	M5	4
KMK 5	25	M25x1.5	38	9	34	5	2	31.5	0.03	HN5-6	M5	4
KMK 6	30	M30x1.5	45	9	41	5	2	36.5	0.06	HN5-6	M5	4
KMK 7	35	M35x1.5	52	9	48	5	2	50	0.07	HN7	M5	4
KMK 8	40	M40x1.5	58	11	53	6	2,5	62	0.11	HN8-9	M6	8
KMK 9	45	M45x1.5	65	11	60	6	2,5	78	0.14	HN8-9	M6	8
KMK 10	50	M50x1.5	70	15	65	6	2,5	91.5	0.2	HN10-11	M6	8
KMK 11	55	M55x2	75	15	69	7	3	91.5	0.22	HN10-11	M8	18
KMK 12	60	M60x2	80	15	74	7	3	95	0.23	HN12-13	M8	18
KMK 13	65	M65x2	85	14	79	7	3	108	0.24	HN12-13	M8	18
KMK 14	70	M70x2	92	14	85	8	3,5	118	0.28	HN14	M8	18
KMK 15	75	M75x2	98	14	91	8	3,5	134	0.33	HN15	M8	18
KMK 16	80	M80x2	105	18	98	8	3,5	173	0.45	HN16	M8	18
KMK 17	85	M85x2	110	18	103	8	3,5	190	0.52	HN17	M10	35
KMK 18	90	M90x2	120	18	112	10	4	216	0.65	HN18-20	M10	35
KMK 19	95	M95x2	125	20	117	10	4	236	0.76	HN18-20	M10	35
KMK 20	100	M100x2	130	20	122	10	4	255	0.8	HN18-20	M10	35