


# Metric Inner Rings




Our Part Number	Inside Diameter (d) mm	Outside Diameter (F) mm	Width (B) mm	Radii r (min) mm	Weight (kg)	Tolerance K6 Inside Diameter (d) +/- $\mu\text{m}$		Tolerance h6 Outside Diameter (F) +/- $\mu\text{m}$		Tolerance h12 Width (B) +/- $\mu\text{m}$	
IR5X8X12	5	8	12	0.3	0.0028	0.002	0.007	0	0.009	0	0.12
IR5X8X16	5	8	16	0.3	0.0037	0.002	0.007	0	0.009	0	0.12
IR6X9X12	6	9	12	0.3	0.0030	0.002	0.007	0	0.009	0	0.15
IR6X9X16	6	9	16	0.3	0.0043	0.002	0.007	0	0.009	0	0.15
IR6X10X10	6	10	10	0.3	0.0037	0.002	0.007	0	0.009	0	0.15
IR6X10X12	6	10	12	0.3	0.0046	0.002	0.007	0	0.009	0	0.15
IR7X10X10.5	7	10	10.5	0.3	0.0031	0.002	0.007	0	0.009	0	0.15
IR7X10X12	7	10	12	0.3	0.0036	0.002	0.007	0	0.009	0	0.15
IR7X10X16	7	10	16	0.3	0.0049	0.002	0.007	0	0.009	0	0.15
IR8X12X10	8	12	10	0.3	0.0048	0.002	0.007	0	0.009	0	0.15
IR8X12X10.5	8	12	10.5	0.3	0.0050	0.002	0.007	0	0.009	0	0.15
IR8X12X12	8	12	12	0.3	0.0056	0.002	0.007	0	0.009	0	0.15
IR8X12X12.5	8	12	12.5	0.3	0.0059	0.002	0.007	0	0.009	0	0.15
IR8X12X16	8	12	16	0.3	0.0070	0.002	0.007	0	0.009	0	0.15
IR9X12X12	9	12	12	0.3	0.0045	0.002	0.007	0	0.009	0	0.15
IR9X12X16	9	12	16	0.3	0.0060	0.002	0.007	0	0.009	0	0.15
IR10X13X12.5	10	13	12.5	0.3	0.0052	0.002	0.007	0	0.009	0	0.15
IR10X14X12	10	14	12	0.3	0.0073	0.002	0.007	0	0.009	0	0.15
IR10X14X13	10	14	13	0.3	0.0074	0.002	0.007	0	0.009	0	0.15
IR10X14X14	10	14	14	0.3	0.0081	0.002	0.007	0	0.009	0	0.15
IR10X14X16	10	14	16	0.3	0.0294	0.002	0.007	0	0.009	0	0.15



# Metric Inner Rings



Our Part Number	Inside Diameter (d) mm	Outside Diameter (F) mm	Width (B) mm	Radii r (min) mm	Weight (kg)	Tolerance K6 Inside Diameter (d) +/- $\mu\text{m}$		Tolerance h6 Outside Diameter (F) +/- $\mu\text{m}$		Tolerance h12 Width (B) +/- $\mu\text{m}$	
IR10X14X20	10	14	20	0.3	0.0115	0.002	0.007	0	0.009	0	0.15
IR12X15X12	12	15	12	0.3	0.0057	0.002	0.009	0	0.011	0	0.18
IR12X15X12.5	12	15	12.5	0.3	0.0061	0.002	0.009	0	0.011	0	0.18
IR12X15X16	12	15	16	0.3	0.0076	0.002	0.009	0	0.011	0	0.18
IR12X15X16.5	12	15	16.5	0.3	0.0061	0.002	0.009	0	0.011	0	0.18
IR12X15X22.5	12	15	22.5	0.3	0.0109	0.002	0.009	0	0.011	0	0.18
IR12X16X12	12	16	12	0.3	0.0084	0.002	0.009	0	0.011	0	0.18
IR12X16X13	12	16	13	0.3	0.0085	0.002	0.009	0	0.011	0	0.18
IR12X16X14	12	16	14	0.3	0.0094	0.002	0.009	0	0.011	0	0.18
IR12X16X16	12	16	16	0.3	0.0107	0.002	0.009	0	0.011	0	0.18
IR12X16X20	12	16	20	0.3	0.0135	0.002	0.009	0	0.011	0	0.18
IR12X16X22	12	16	22	0.3	0.0149	0.002	0.009	0	0.011	0	0.18
IR14X17X17	14	17	17	0.3	0.0095	0.002	0.009	0	0.011	0	0.18
IR15X18X12.5	15	18	12.5	0.3	0.0072	0.002	0.009	0	0.011	0	0.18
IR15X18X16	15	18	16	0.3	0.0094	0.002	0.009	0	0.011	0	0.18
IR15X18X16.5	15	18	16.5	0.3	0.0098	0.002	0.009	0	0.011	0	0.18
IR15X19X16	15	19	16	0.3	0.0129	0.002	0.009	0	0.011	0	0.18
IR15X19X20	15	19	20	0.3	0.0163	0.002	0.009	0	0.011	0	0.18
IR15X20X12	15	20	12	0.3	0.0122	0.002	0.009	0	0.011	0	0.18
IR15X20X13	15	20	13	0.3	0.0135	0.002	0.009	0	0.011	0	0.18
IR15X20X14	15	20	14	0.3	0.0146	0.002	0.009	0	0.011	0	0.18




# Metric Inner Rings




Our Part Number	Inside Diameter (d) mm	Outside Diameter (F) mm	Width (B) mm	Radii r (min) mm	Weight (kg)	Tolerance K6 Inside Diameter (d) +/- μm		Tolerance h6 Outside Diameter (F) +/- μm		Tolerance h12 Width (B) +/- μm	
IR15X20X23	15	20	23	0.3	0.0244	0.002	0.009	0	0.011	0	0.18
IR16X22X12	16	22	12	0.3	0.0200	0.002	0.009	0	0.011	0	0.18
IR17X20X16	17	20	16	0.3	0.0106	0.002	0.009	0	0.011	0	0.18
IR17X20X16.5	17	20	16.5	0.3	0.0111	0.002	0.009	0	0.011	0	0.18
IR17X20X20	17	20	20	0.3	0.0135	0.002	0.009	0	0.011	0	0.18
IR17X20X20.5	17	20	20.5	0.3	0.0138	0.002	0.009	0	0.011	0	0.18
IR17X20X30.5	17	20	30.5	0.3	0.0214	0.002	0.009	0	0.011	0	0.18
IR17X21X16	17	21	16	0.3	0.0150	0.002	0.009	0	0.011	0	0.18
IR17X21X20	17	21	20	0.3	0.0180	0.002	0.009	0	0.011	0	0.18
IR17X22X13	17	22	13	0.3	0.0149	0.002	0.009	0	0.011	0	0.18
IR17X22X14	17	22	14	0.3	0.0164	0.002	0.009	0	0.011	0	0.18
IR17X22X16	17	22	16	0.3	0.0184	0.002	0.009	0	0.011	0	0.18
IR17X22X23	17	22	23	0.3	0.0271	0.002	0.009	0	0.011	0	0.18
IR17X24X20	17	24	20	0.6	0.0310	0.002	0.009	0	0.013	0	0.18
IR20X24X16	20	24	16	0.3	0.0294	0.002	0.011	0	0.013	0	0.21
IR20X24X20	20	24	20	0.3	0.0213	0.002	0.011	0	0.013	0	0.21
IR20X25X12.5	20	25	12.5	0.3	0.0163	0.002	0.011	0	0.013	0	0.21
IR20X25X16	20	25	16	0.3	0.0240	0.002	0.011	0	0.013	0	0.21
IR20X25X16.5	20	25	16.5	0.3	0.0250	0.002	0.011	0	0.013	0	0.21
IR20X25X17	20	25	17	0.3	0.0250	0.002	0.011	0	0.013	0	0.21
IR20X25X18	20	25	18	0.3	0.0242	0.002	0.011	0	0.013	0	0.21

# Metric Inner Rings




Our Part Number	Inside Diameter (d) mm	Outside Diameter (F) mm	Width (B) mm	Radii r (min) mm	Weight (kg)	Tolerance K6 Inside Diameter (d) +/- μm		Tolerance h6 Outside Diameter (F) +/- μm		Tolerance h12 Width (B) +/- μm	
IR20X25X20	20	25	20	0.3	0.0275	0.002	0.011	0	0.013	0	0.21
IR20X25X20.5	20	25	20.5	0.3	0.0274	0.002	0.011	0	0.013	0	0.21
IR20X25X26.5	20	25	26.5	0.3	0.0380	0.002	0.011	0	0.013	0	0.21
IR20X25X30	20	25	30	0.3	0.0404	0.002	0.011	0	0.013	0	0.21
IR20X25X38.5	20	25	38.5	0.3	0.0525	0.002	0.011	0	0.013	0	0.21
IR20X28X20	20	28	20	0.6	0.0500	0.002	0.011	0	0.013	0	0.21
IR22X26X16	22	26	16	0.3	0.0182	0.002	0.011	0	0.013	0	0.21
IR22X26X20	22	26	20	0.3	0.0230	0.002	0.011	0	0.013	0	0.21
IR22X28X17	22	28	17	0.3	0.0295	0.002	0.011	0	0.013	0	0.21
IR22X28X20	22	28	20	0.3	0.0350	0.002	0.011	0	0.013	0	0.21
IR22X28X20.5	22	28	20.5	0.3	0.0360	0.002	0.011	0	0.013	0	0.21
IR22X28X30	22	28	30	0.3	0.0544	0.002	0.011	0	0.013	0	0.21
IR24X32X22	24	32	22	0.3	0.0550	0.002	0.011	0	0.013	0	0.21
IR25X29X20	25	29	20	0.3	0.0259	0.002	0.011	0	0.013	0	0.21
IR25X29X30	25	29	30	0.3	0.0393	0.002	0.011	0	0.013	0	0.21
IR25X30X12.5	25	30	12.5	0.3	0.0210	0.002	0.011	0	0.013	0	0.21
IR25X30X16	25	30	16	0.3	0.0257	0.002	0.011	0	0.013	0	0.21
IR25X30X16.5	25	30	16.5	0.3	0.0267	0.002	0.011	0	0.013	0	0.21
IR25X30X17	25	30	17	0.3	0.0274	0.002	0.011	0	0.013	0	0.21
IR25X30X18	25	30	18	0.3	0.0298	0.002	0.011	0	0.013	0	0.21
IR25X30X20	25	30	20	0.3	0.0328	0.002	0.011	0	0.013	0	0.21



# Metric Inner Rings




Our Part Number	Inside Diameter (d) mm	Outside Diameter (F) mm	Width (B) mm	Radii r (min) mm	Weight (kg)	Tolerance K6 Inside Diameter (d) +/- μm		Tolerance h6 Outside Diameter (F) +/- μm		Tolerance h12 Width (B) +/- μm	
IR25X30X20.5	25	30	20.5	0.3	0.0334	0.002	0.011	0	0.013	0	0.21
IR25X30X26.5	25	30	26.5	0.3	0.0460	0.002	0.011	0	0.013	0	0.21
IR25X30X30	25	30	30	0.3	0.0530	0.002	0.011	0	0.013	0	0.21
IR25X30X32	25	30	32	0.3	0.0560	0.002	0.011	0	0.013	0	0.21
IR25X30X38.5	25	30	38.5	0.3	0.0645	0.002	0.011	0	0.013	0	0.21
IR25X32X22	25	32	22	0.6	0.0525	0.002	0.011	0	0.013	0	0.21
IR28X32X17	28	32	17	0.3	0.0245	0.002	0.011	0	0.013	0	0.21
IR28X32X20	28	32	20	0.3	0.0285	0.002	0.011	0	0.013	0	0.21
IR28X32X30	28	32	30	0.3	0.0435	0.002	0.011	0	0.013	0	0.21
IR30X35X12.5	30	35	12.5	0.3	0.0240	0.002	0.011	0	0.013	0	0.21
IR30X35X13	30	35	13	0.3	0.0250	0.002	0.011	0	0.013	0	0.21
IR30X35X16	30	35	16	0.3	0.0340	0.002	0.011	0	0.013	0	0.21
IR30X35X16.5	30	35	16.5	0.3	0.0350	0.002	0.011	0	0.013	0	0.21
IR30X35X17	30	35	17	0.3	0.0360	0.002	0.011	0	0.013	0	0.21
IR30X35X18	30	35	18	0.3	0.0351	0.002	0.011	0	0.013	0	0.21
IR30X35X20	30	35	20	0.3	0.0390	0.002	0.011	0	0.013	0	0.21
IR30X35X20.5	30	35	20.5	0.3	0.0397	0.002	0.011	0	0.013	0	0.21
IR30X35X26	30	35	26	0.3	0.0504	0.002	0.011	0	0.013	0	0.21
IR30X35X30	30	35	30	0.3	0.0585	0.002	0.011	0	0.013	0	0.21
IR30X37X18	30	37	18	0.6	0.0500	0.002	0.011	0	0.013	0	0.21
IR30X37X22	30	37	22	0.6	0.0616	0.002	0.011	0	0.013	0	0.21



# Metric Inner Rings



Our Part Number	Inside Diameter (d) mm	Outside Diameter (F) mm	Width (B) mm	Radii r (min) mm	Weight (kg)	Tolerance K6 Inside Diameter (d) +/- μm		Tolerance h6 Outside Diameter (F) +/- μm		Tolerance h12 Width (B) +/- μm	
IR30X38X20	30	38	20	0.6	0.0770	0.002	0.011	0	0.013	0	0.21
IR32X37X20	32	37	20	0.3	0.0420	0.003	0.013	0	0.016	0	0.25
IR32X37X30	32	37	30	0.3	0.0620	0.003	0.013	0	0.016	0	0.25
IR32X40X20	32	40	20	0.6	0.0680	0.003	0.013	0	0.016	0	0.25
IR32X40X36	32	40	36	0.6	0.1280	0.003	0.013	0	0.016	0	0.25
IR33X37X13	33	37	13	0.3	0.0219	0.003	0.013	0	0.016	0	0.25
IR35X40X12.5	35	40	12.5	0.3	0.0275	0.003	0.013	0	0.016	0	0.25
IR35X40X16.5	35	40	16.5	0.3	0.0374	0.003	0.013	0	0.016	0	0.25
IR35X40X17	35	40	17	0.3	0.0585	0.003	0.013	0	0.016	0	0.25
IR35X40X20	35	40	20	0.3	0.0442	0.003	0.013	0	0.016	0	0.25
IR35X40X20.5	35	40	20.5	0.3	0.0461	0.003	0.013	0	0.016	0	0.25
IR35X40X30	35	40	30	0.3	0.0671	0.003	0.013	0	0.016	0	0.25
IR35X42X20	35	42	20	0.6	0.0442	0.003	0.013	0	0.016	0	0.25
IR35X42X21	35	42	21	0.6	0.0680	0.003	0.013	0	0.016	0	0.25
IR35X42X23	35	42	23	0.6	0.0747	0.003	0.013	0	0.016	0	0.25
IR35X42X36	35	42	36	0.6	0.1170	0.003	0.013	0	0.016	0	0.25
IR35X43X22	35	43	22	0.6	0.0820	0.003	0.013	0	0.016	0	0.25
IR38X43X20	38	43	20	0.3	0.0481	0.003	0.013	0	0.016	0	0.25
IR38X43X30	38	43	30	0.3	0.0736	0.003	0.013	0	0.016	0	0.25
IR40X45X17	40	45	17	0.3	0.0425	0.003	0.013	0	0.016	0	0.25
IR40X45X20	40	45	20	0.3	0.0508	0.003	0.013	0	0.016	0	0.25




# Metric Inner Rings




Our Part Number	Inside Diameter (d) mm	Outside Diameter (F) mm	Width (B) mm	Radii r (min) mm	Weight (kg)	Tolerance K6 Inside Diameter (d) +/- $\mu\text{m}$		Tolerance h6 Outside Diameter (F) +/- $\mu\text{m}$		Tolerance h12 Width (B) +/- $\mu\text{m}$	
IR40X45X20.5	40	45	20.5	0.3	0.0518	0.003	0.013	0	0.016	0	0.25
IR40X45X30	40	45	30	0.3	0.0840	0.003	0.013	0	0.016	0	0.25
IR40X48X22	40	48	22	0.6	0.0916	0.003	0.013	0	0.016	0	0.25
IR40X48X23	40	48	23	0.6	0.0975	0.003	0.013	0	0.016	0	0.25
IR40X48X40	40	48	40	0.6	0.1700	0.003	0.013	0	0.016	0	0.25
IR40X50X20	40	50	20	1	0.1100	0.003	0.013	0	0.016	0	0.25
IR40X50X22	40	50	22	1	0.1180	0.003	0.013	0	0.016	0	0.25
IR42X47X20	42	47	20	0.3	0.0528	0.003	0.013	0	0.016	0	0.25
IR42X47X30	42	47	30	0.3	0.0810	0.003	0.013	0	0.016	0	0.25
IR45X50X20	45	50	20	0.3	0.0580	0.003	0.013	0	0.016	0	0.25
IR45X50X20.5	45	50	20.5	0.6	0.0588	0.003	0.013	0	0.016	0	0.25
IR45X50X25	45	50	25	0.6	0.0708	0.003	0.013	0	0.016	0	0.25
IR45X50X25.5	45	50	25.5	0.3	0.0751	0.003	0.013	0	0.016	0	0.25
IR45X50X35	45	50	35	0.6	0.1010	0.003	0.013	0	0.016	0	0.25
IR45X50X40	45	50	40	0.3	0.1160	0.003	0.013	0	0.016	0	0.25
IR45X52X22	45	52	22	0.6	0.0890	0.003	0.013	0	0.016	0	0.25
IR45X52X23	45	52	23	0.6	0.0939	0.003	0.013	0	0.016	0	0.25
IR45X52X40	45	52	40	0.6	0.1640	0.003	0.013	0	0.016	0	0.25
IR45X55X20	45	55	20	1	0.1170	0.003	0.013	0	0.016	0	0.25
IR45X55X22	45	55	22	1	0.1290	0.003	0.013	0	0.016	0	0.25
IR50X55X20	50	55	20	0.6	0.0625	0.003	0.013	0	0.016	0	0.25

# Metric Inner Rings



Our Part Number	Inside Diameter (d) mm	Outside Diameter (F) mm	Width (B) mm	Radii r (min) mm	Weight (kg)	Tolerance K6 Inside Diameter (d) +/- $\mu\text{m}$		Tolerance h6 Outside Diameter (F) +/- $\mu\text{m}$		Tolerance h12 Width (B) +/- $\mu\text{m}$	
IR50X55X25	50	55	25	0.6	0.0780	0.003	0.013	0	0.016	0	0.25
IR50X55X35	50	55	35	0.6	0.1120	0.003	0.013	0	0.016	0	0.25
IR50X58X22	50	58	22	0.6	0.1150	0.003	0.013	0	0.016	0	0.25
IR50X58X23	50	58	23	0.6	0.1190	0.003	0.013	0	0.016	0	0.25
IR50X58X40	50	58	40	0.6	0.2080	0.003	0.013	0	0.016	0	0.25
IR50X60X20	50	60	20	1	0.1280	0.003	0.013	0	0.016	0	0.25
IR50X60X25	50	60	25	1	0.1620	0.003	0.013	0	0.016	0	0.25
IR50X60X28	50	60	28	1.1	0.1810	0.003	0.013	0	0.016	0	0.25
IR50X60X40	50	60	40	1	0.2580	0.003	0.013	0	0.016	0	0.25
IR55X60X25	55	60	25	1	0.0855	0.004	0.015	0	0.019	0	0.3
IR55X60X35	55	60	35	0.6	0.1210	0.004	0.015	0	0.019	0	0.3
IR55X63X25	55	63	25	1	0.1410	0.004	0.015	0	0.019	0	0.3
IR55X63X45	55	63	45	1	0.2560	0.004	0.015	0	0.019	0	0.3
IR55X65X28	55	65	28	1.1	0.1980	0.004	0.015	0	0.019	0	0.3
IR60X68X25	60	68	25	1	0.1520	0.004	0.015	0	0.019	0	0.3
IR60X68X28	60	68	28	1	0.1550	0.004	0.015	0	0.019	0	0.3
IR60X68X35	60	68	35	0.6	0.2130	0.004	0.015	0	0.019	0	0.3
IR60X68X45	60	68	45	1	0.2760	0.004	0.015	0	0.019	0	0.3
IR60X70X25	60	70	25	1	0.1950	0.004	0.015	0	0.019	0	0.3
IR60X70X28	60	70	28	1.1	0.2150	0.004	0.015	0	0.019	0	0.3
IR65X72X25	65	72	25	1	0.1410	0.004	0.015	0	0.019	0	0.3






# Metric Inner Rings




Our Part Number	Inside Diameter (d) mm	Outside Diameter (F) mm	Width (B) mm	Radii r (min) mm	Weight (kg)	Tolerance K6 Inside Diameter (d) +/- $\mu\text{m}$		Tolerance h6 Outside Diameter (F) +/- $\mu\text{m}$		Tolerance h12 Width (B) +/- $\mu\text{m}$	
IR65X72X45	65	72	45	1	0.2590	0.004	0.015	0	0.019	0	0.3
IR65X73X25	65	73	25	1	0.1640	0.004	0.015	0	0.019	0	0.3
IR65X73X35	65	73	35	1	0.2310	0.004	0.015	0	0.019	0	0.3
IR65X75X28	65	75	28	1.1	0.2290	0.004	0.015	0	0.019	0	0.3
IR70X80X25	70	80	25	1	0.2210	0.004	0.015	0	0.019	0	0.3
IR70X80X30	70	80	30	1	0.2670	0.004	0.015	0	0.019	0	0.3
IR70X80X35	70	80	35	1	0.3120	0.004	0.015	0	0.019	0	0.3
IR70X80X54	70	80	54	1	0.4880	0.004	0.015	0	0.019	0	0.3
IR70X80X60	70	80	60	1	0.5430	0.004	0.015	0	0.019	0	0.3
IR75X85X25	75	85	25	1	0.2380	0.004	0.015	0	0.019	0	0.3
IR75X85X30	75	85	30	1	0.2870	0.004	0.015	0	0.019	0	0.3
IR75X85X35	75	85	35	1	0.3360	0.004	0.015	0	0.019	0	0.3
IR75X85X54	75	85	54	1	0.5200	0.004	0.015	0	0.019	0	0.3
IR80X90X25	80	90	25	1	0.2530	0.004	0.015	0	0.019	0	0.3
IR80X90X30	80	90	30	1	0.3040	0.004	0.015	0	0.019	0	0.3
IR80X90X35	80	90	35	1	0.3550	0.004	0.015	0	0.019	0	0.3
IR80X90X54	80	90	54	1	0.5560	0.004	0.015	0	0.019	0	0.3
IR85X95X26	85	95	26	1	0.2770	0.004	0.018	0	0.022	0	0.35
IR85X95X36	85	95	36	1	0.3880	0.004	0.018	0	0.022	0	0.35
IR85X100X35	85	100	35	1.1	0.5820	0.004	0.018	0	0.022	0	0.35
IR85X100X63	85	100	63	1.1	1.0540	0.004	0.018	0	0.022	0	0.35



# Metric Inner Rings



Our Part Number	Inside Diameter (d) mm	Outside Diameter (F) mm	Width (B) mm	Radii r (min) mm	Weight (kg)	Tolerance K6 Inside Diameter (d) +/- μm		Tolerance h6 Outside Diameter (F) +/- μm		Tolerance h12 Width (B) +/- μm	
IR90X100X26	90	100	26	1	0.2940	0.004	0.018	0	0.022	0	0.35
IR90X100X30	90	100	30	1	0.3400	0.004	0.018	0	0.022	0	0.35
IR90X100X36	90	100	36	1	0.4060	0.004	0.018	0	0.022	0	0.35
IR90X105X35	90	105	35	1.1	0.6100	0.004	0.018	0	0.022	0	0.35
IR90X105X63	90	105	63	1.1	1.0540	0.004	0.018	0	0.022	0	0.35
IR95X105X26	95	105	26	1	0.3130	0.004	0.018	0	0.022	0	0.35
IR95X105X36	95	105	36	1	0.4310	0.004	0.018	0	0.022	0	0.35
IR95X110X35	95	110	35	1.1	0.6570	0.004	0.018	0	0.022	0	0.35
IR95X110X63	95	110	63	1.1	1.1700	0.004	0.018	0	0.022	0	0.35
IR100X110X30	100	110	30	1.1	0.3500	0.004	0.018	0	0.022	0	0.35
IR100X110X40	100	110	40	1.1	0.5050	0.004	0.018	0	0.022	0	0.35
IR100X115X40	100	115	40	1.1	0.7970	0.004	0.018	0	0.022	0	0.35
IR110X120X30	110	120	30	1	0.4090	0.004	0.018	0	0.022	0	0.35
IR110X125X40	110	125	40	1.1	0.8400	0.004	0.018	0	0.022	0	0.35
IR120X130X30	120	130	30	1	0.4420	0.004	0.018	0	0.022	0	0.35
IR120X135X45	120	135	45	1.1	1.0440	0.004	0.018	0	0.022	0	0.35
IR130X145X35	130	145	35	1.1	0.8550	0.004	0.021	0	0.025	0	0.4
IR130X150X50	130	150	50	1.5	1.6900	0.004	0.021	0	0.025	0	0.4
IR140X155X35	140	155	35	1.1	0.9170	0.004	0.021	0	0.025	0	0.4
IR140X160X50	140	160	50	1.5	1.8000	0.004	0.021	0	0.025	0	0.4
IR150X165X40	150	165	40	1.1	1.1220	0.004	0.021	0	0.025	0	0.4



# Metric Inner Rings



Our Part Number	Inside Diameter (d) mm	Outside Diameter (F) mm	Width (B) mm	Radii r (min) mm	Weight (kg)	Tolerance K6 Inside Diameter (d) +/- $\mu\text{m}$		Tolerance h6 Outside Diameter (F) +/- $\mu\text{m}$		Tolerance h12 Width (B) +/- $\mu\text{m}$	
IR160X175X40	160	175	40	1.1	1.2000	0.004	0.021	0	0.025	0	0.4
IR170X185X45	170	185	45	1.1	1.4410	0.004	0.021	0	0.025	0	0.4
IR180X195X45	180	195	45	1.1	1.5100	0.004	0.021	0	0.025	0	0.4
IR190X210X50	190	210	50	1.5	2.4100	0.005	0.024	0	0.029	0	0.46
IR200X220X50	200	220	50	1.5	2.5180	0.005	0.024	0	0.029	0	0.46
IR220X240X50	220	240	50	1.5	2.7530	0.005	0.024	0	0.029	0	0.46

**Material: GCR15 Steel HRC60-64**